INDEX TO VOLUME 64

New names and the final members of new combinations are in **bold face type.**

Abies concolor 510; grandis 416; intermedia 413
Absidia 539, 541
Acacia 610–612; cymbispina 607–610, 613; Farnesiana 608; Greggi 611; pennatula 608, 610
Acalypha 611; **Mortoniana** 552; virginica 243
Acanthocereus occidentalis 612
Acer 64, 111; Negundo 489; rubrum 493; saccharum 276, 277
Achlya 241; bisexualis 241
Aconitum Napellus 446
Acorus calamus 238
Actinomyces 239, 617
Adenopeltis Colliguaya 534
Aegiphila 416, 568
Aesculus 410; hippocastanum 386
Agaricus delectabilis 482
Agave 608; applanata 173
Ageratum 53
Agrimonia 578
Agropyron 104, 164
Ailanthus 229, 446, 473; altissima 229, 233, 490
Ailanthus altissima, Factors affecting the method of branching in 229
Albizzia procera 186
Aletris 565
Aleuria 234
Aleurodiscus subcruentatus 623
Alfileria 617
Allenrolfea 52
Allium 322; Breweri 510; cepa 333, 415; fimbriatum 511; fistulosum 618; monticola 509–511; mutabile 344; Parishii 509–511; Peirsonii 509, 510
Allomyces 618; arbuscula 50
Alloya americana 337
Amaranthus viridis 110
Ambrosia 341; artemisiifolia 170; elatior 341; trifida 170
Amelanchier 578; florida 240
American Botanical Literature, Index to 46, 104, 164, 234, 336, 410, 488, 558, 614
Amoeba 323, 326, 327, 329, 330, 333, 334; proteus 308, 333, 334; terricola 324, 333; verrucosa 323, 334
Amoreuxia 111
Amorpha 536
Amorphophallus Rivieri 414; titanum 562
Amphianthus pusillus 568
Amygdalus 578
Anabaena 599; unispora 600, 601; Volzii 601
Anacampseros papyracea 489
Anacharis 203; canadensis 202, 205
Anacystis gigas 600
Ananas comosus 236
Andira 186
Andropogon Sorghum 211
Androsace 445
Anguillulina pratensis 234
Anisophyllum 524, 533, 535, 536
Annona Ambotay 404, 405, 409
Annotations upon the California flora—I 509
Anomospermum reticulatum 402, 405, 406, 409
Antennaria 113
Anthacantha 533
Aphanothece pallida 600
Apium graveolens dulce 568
Aplopappus 611
Aquilegia 574; canadensis 98, 100
Arabis 112, 172, 565
Arachis 168
Arachniotus 168
Aralia nudicaulis 98
Araucaria 571, 572; Cookii 578; imbricata 559
Arctostaphylos 520; missenana 238
Argemone mexicana 615
Aristolochia 401; arcuata 404, 405
Armillaria mellea 108, 541, 542
Artemisia 536; tridentata 518
Arthrostigma 474
Arundinaria 108; quadrangularis 422, 424, 431
Asarum 107, 579
Ascocalyx abietis 50
Asimina 572; triloba 52
Aspergillus flavus 169; niger 541; oryzae 539–541
Asplenium 109; platyneuron bacculum-rubrum 49
Aster laevis 98, 100, 102; macrophyllus 98; spectabilis 173
Asterocystis 566
Asteropeia 562
Asteroxylon 447; Mackiei 474
Astragalus Earlei 413
Atelocauda incrustans 41
Atriplex 536, 608, 611, 613
Avena 53, 105, 241, 242, 614; brevis 435–440,

442, 443; byzantina 435, 443; fatua 421; levis 435; sativa 435, 443; strigosa 435, 437–439, 443
Azotobacter chroococcum 541, 545

Bacillus pierantonii 546
Bacterium angulatum 489; coli 539; malvacearum 174; tabacum 489
Bamboo with special reference to the epidermis, Histogenesis in the 421
Bambusa 239; arundinacea 421
Baptisia 578
Barkhausia 386
Bauhinia 186, 611; longiflora 610
BAUSOR, S. C., Fasciation and its relation to the problems of growth. I. Shape changes in the shoot 383; II. Changes from the fasciated to normal state, with a discussion on the nature of the shoot 445
Bebbia 608
Begonia 567
Berberis vulgaris 568
Berchemia 67, 68
Betula lenta 277
Bidens humilis 164
Biscutella 195
Blakeslea trispora 237
Blennoderma Drummondii 289
Bodera 190
Bombardia lunata 499, 506
Botanical components of curare, Notes on the 401
Botanical Literature, Index to American 46, 104, 164, 234, 336, 410, 488, 558, 614
Bothrodiscus pinicola 50
Botrychium 269, 270, 276, 280, 283; angustisegmentum 279, 280, 283; dissectum 270, 273, 274; dissectum obliquum 270, 273–275, 278, 282, 283; dissectum oneidense 270, 273–275, 278, 282; dissectum pennsylvanicum 274; dissectum typicum 270, 273–275, 278, 282, 283; lanceolatum 279, 280; lanceolatum **angustisegmentum** 271, 272, 276, 279, 280, 282; lanceolatum typicum 280; Lunaria 278; matricariae 271, 272; matricariaefolium 269, 271, 276, 278, 282, 283; multifidum 271–273; multifidum intermedium 271; multifidum oneidense 273; multifidum **robustum** 272; multifidum **silaifolium** 270, 271, 273, 282, 283; multifidum typicum 271; neglectum 278; obliquum 273, 274; obliquum dissectum 274; obliquum oneidense 273; ramosum 278; robustum 272; rutaefolium 271; rutaefolium robustum 272; silaifolium 271, 272; simplex 271, 275–278, 282; simplex angustum 276; simplex **laxifolium** 271, 272, 277, 282, 283; simplex **tenebrosum** 271, 272, 275, 276, 282, 283; tenebrosum 275; ternatum australe intermedium 271; ternatum intermedium 271; ternatum oneidense 273; virginianum 278 281, 282
Botryosphaeria melanops 55
Botrytis 55; cinerea 506; convoluta 562
Brahea 410
BRANDWEIN, PAUL F., Experiments on latent infection of resistant varieties by the loose and covered smut of oats 433
Brassica 496, oleracea 496
Brickellia 611
Bridelia 528, 529
Bryophyllum 238
Bunchosia Palmeri 608
Bursera 166
Butomus umbellatus 580
Buxbaumia aphylla 412

Caesalpinia 611; gracilis 611; platyloba 608, 610
Caespitosi 358, 359
Calamagrostis epigejos 336
Calandrinia 418
California flora—I, Annotations upon the 509
Calla palustris 491
Calliandra **rivalis** 549
Caltha 385; palustris 475
Calycanthus floridus 578, 580
Calyptranthes **fluviatilis** 553; Lindeniana 554; **O'Neillii** 554
Camellia japonica 337
CAMP, W. G., The structure and activities of myxomycete plasmodia 307
CAMPBELL, IRIS, Further data on monosporous cultures of Gelasinospora tetrasperma 583
Camptosorus rhizophyllus 239
Canal Zone, Some Myxophyceae from the 599
Candelospora 491
Canna 579
Cantharellus multiplex 568
Capnoides 575
Capparis acutifolia 408; sola 407, 408
Capraria rigida 595
Capsicum 384, 407, 409; frutescens 561
Carapa procera 173
Cararia humifusa 597

Cardamine 412
Carex 43, 51, 114, 202–205
Carica 238
Carlowrightia californica 611
Carnegiea 612
Carya 149, 150, 157, 162, 578; Buckleyi arkansana 148, 162
Cassia 611; atomaria 608, 610; biflora 611; emarginata 610; occidentalis 611; Wislizeni 611
Castalia 203; odorata 202, 205
Castanea prunella 67
Castilleja 237
Casuarina 570
Catalpa 578
Ceanothus 239
Cedrela 104
Ceiba acuminata 610
Celastrus 529
Celosia 384
Celtis 110
Cenangium molliusculum 560
Centradenia grandifolia 492
Centranthera 589, 595; Brunoniana 591–594; Chevalieri 591; cochinchinensis 590, 594; cochinchinensis hispida 590; cochinchinensis nepalensis 590; grandiflora 590, 591, hispida 589, 590, 592, 594–596; humifusa 589, 597; indica 593; longiflora 590; maxima 590; nepalensis 595; procumbens 593; procumbens latifolia 592; prostrata 589; tonkinensis 598; tonkinensis fastigiata 598
Centranthera R. Brown, Razumovia Sprengel versus 589
Centranthus 589
Centratherum 589
Centricirrha 566
Cephalium 566
Cephalo 337
Cephalosporium 338, 616, 617; acremonium 107
Ceratiomyxa 333, 334
Ceratophyllum 203; demersum 202, 204–206
Ceratostomella 410; Ulmi 56
Cercidium sonorae 610; Torreyanum 610
Cereus 579; speciosus 344
Cestrum 110
Chaetomorpha 237
Chaetothyrina musarum 489
Chaetothyrium guaranticum 489
Chanekia 415
Changes from the fasciated to the normal state, with a discussion on the nature of the shoot, Fasciation and its relation to problems of growth II. 445
Chara 202, 203, 205
Chilopsis linearis 107
Chlorella 616
Chondodendron polyanthum 402, 405, 406, 409
Chroococcus limneticus 600; turgidus 600
Chrysanthemum Myconis 385
Chrysomyxa Empetri 491
Chrysothamnus 536
Chytridium lagenaria 108
Ciboria acerina 175
Cicadula sexnotata 566
Cimicifuga palmata 37
Cinchona 491
Citrus 107, 112, 238, 340
Cladochytrium replicatum 566
Cladosporium fulvum 493
Clarisia 342
Clarkia 385; elegans 474
Classification of Euphorbia II. How should the Cyathium be interpreted?, On the 523
Clathrocystis aeruginosa 599
CLAUSEN, R. T. and J. L. EDWARDS, The Ophioglossaceae of New Jersey, a study in local distribution 269
Clavija Hookeri 408; Poeppigii 407, 408; tarapotana 408
Cleistanthus 529
Cleome 339
Cleyera 493
Clostridium botulinum 540, 541
Coccoloba **mayana** 547, 548; Schiedeana 548
Cochemeia 494
Coffea arabica 492
Coleus amboinicus 494
Collinsonia 277
Collybia palustris 479, racemosa 477; tuberosa 477
Colubrina glabra 611
Comarum 578
Concerning the chromosome number of Trautvetteria carolinensis 37
Condalia spathulata 611
Convolvulus reptans 53; soldanella 171
Copernicia 239
Coprinus micaceus 341
Cordia sonorae 608
Coreopsis 112; lanceolata 97
Cornus 277, 579
Cornutia 170
Corosinam 589, 593
Corydalis cornuta 19

Cotyledon pygmaeum 51
Crassula 234; perfoliata 167
Crataegus 578; crus-galli 496
Crepis 47, 234; biennis 446, 453
Crescentia alata 610
Crinum 579; asiaticum 582, 622
Crocynia Moxleyi 107
CROIZAT, LEON, On the classification of Euphorbia II. How should the cyathium be interpreted? 523
Cronartium ribicola 54, 173, 340
CROSS, G. L., The origin and development of the foliage leaves and stipules of Morus alba 145
Croton 528, 611; alabamensis 528; alamosanus 611; sonorae 611
Cryptomeria japonica 446
Cryptostemon 357
Cryptothelium 109; saxicola 109
Cubincola 531
Cucurbita pepo 384, 386, 387, 475
CUMMINS, GEORGE B., Descriptions of tropical rusts 39
Cunninghamia 571
Cupressus arizonica 617
Cuscuta 167, 490, 617; glomerata 49; indecora 416
Cycas 240, 570
Cyclanthera 406
Cylindrocystis 75
Cynara scolymus 623
Cynoxylon floridum 579
Cyperus 241
Cypripedium 579; parviflorum 582
Cyrilla 67
Cytology of Vaucheria, The 1
Cytospora 340
Cytosporina ludibunda 48

Dactylella 106
Dalea spinosa 608
Dalechampia Roezliana 531
Daphne genkwa 114
Daphniphyllum 531, 536
Dasylirion 608
Datura 166, 624
DAVIES, P. A. and E. W. THEISS, Factors affecting the method of branching in Ailanthus altissima 229
Delphinium 241, 336, 578
Dematophora necatrix 619
Dentaria 49
Descriptions of tropical rusts 39
Development of Podostemon ceratophyllum 17
Dicentra cucullaria 108
Dicheirinia 41; **archeri** 41–43; binata 42; **guianensis** 39–43; manaosensis 41, 43; superba 41, 42
Dichostemma 528
Didymium melanospermum 334
Dieffenbachia 407, 408; parviflora 408; seguina viridis 404, 405, 409
Diervilla Lonicera 98
Difflugia constricta 617
Digitalis 595; cochinchinensis 594; stricta 595
DIMOCK, A. W., Hybridization experiments with natural variants of Hypomyces Ipomoeae 499
Dinobryon 614
Dinochloa 109
Dioscorea 189–192, 194–197; alata 191, 194, 195, 197; batatas 191, 192, 194, 196, 197; brachybotrya reticulata 194; bulbifera 191, 194, 195; caucasica 191, 192, 194, 197; cayenensis 192, 194; discolor 192, 194, 197; esculenta 191; fargesii 192, 194–197; gracillima 191; japonica 191; macroura 192, 194, 197; oppositifolia 192, 194; pentaphylla 192, 194, 196, 197; quinqueloba 192, 194; reticulata 194, 195, 197; sinuata 191, 196, 197; tokoro 191; villosa 191, 194
Dioscoreaceae, Notes on the cytology and distribution of the 189
Diphysa racemosa 611; suberosa 608
Diplocyathium 523, 536
Diplodia 340
Diplophlyctis intestina 108
Diplostephium 105
Dipodascus uninucleatus 336
Douglasia nivalis 106
Downingia 340
Drosera 532; intermedia 532; rotundifolia 532; rotundifolia comosa 532
DROUET, FRANCIS, Some Myxophyceae from the Canal Zone 599
Drymaria 343
Dryopteris 110
Duchesnea 578
Duchnia kentuckiensis 172
Dudleya 169
Duguetia 408, 409; asterotricha 407, 408, Spixiana 407
Dulichium 203; arundinaceum 202, 205
Dumontia incrassata 103
Dwarf Yellow Milo hybrids, Inheritance of resistance to the loose and covered kernel smuts of sorghum I. 209

Eberthella typhi 539
Echeveria 243
Echinocactus 612
Echinocereus 111, 344; Abbeae 344
Echinodorus 572, 578
Ectocarpus granulosus 497
EDWARDS, J. L. and R. T. CLAUSEN, The Ophioglossaceae of New Jersey, a study in local distribution 269
Effect of phosphorus on chromosome and nuclear volume in a violet species 345
Eichornia 24
Elaeophorbia 106; Hiernii 106
Elaphrium Simaruba 610
Eleocharis acicularis 202, 203, 205; palustris 202, 203, 205; rostellata 52
Elodea 240, 343; canadensis 412
Elsinoe ampelina 493; australis 411; fawcetti 493; veneta 493
Elymus 104
Encelia 611
Endochytrium 620
Ephedra 570, 572
Epidendrum 46, 104, 419, 614
Epigaea repens 410
Epipetrum 190
Epiphyllum 174, 579
Equisetum 106, 203, 493, 572, 575, 576; fluviatile 571; limosum 202, 205
Erechtites hieracifolia 338
Erica 358
Ericopsis 357, 358
Ericopsis, Studies in Penstemon IV. The section 357
Erigeron compositus 561
Eriogonum 611; Kennedyi austromontanum 518; **minus** 515, 517–519; stellatum 517–519; umbellatum 518; umbellatum minus 515
Eriophyllum 166, 616
Erodium serotinum 530
Erwinia amylovora 51, 336, 542, 543, 545, 565; carotovora 541, 543
Erysiphe 417; Polygoni 240, 336
Erythea 410
Eschweilera laevifolia 184
Eubotrychium 270, 278
Eucalyptus coccifera 102; cornuta 102
Eugenia Capuli 555; **cocquericotensis** 554; **O'Neillii** 555; yucatanensis 555
Eukneiffia 288
Euoenothera 287
Eupenstemon 357
Euphorbia 523–525, 528, 530, 531, 533–536; Caput-Medusae 533; epiphylloides 561; esculenta 531; glaucescens 561; Intisy 525; lactea 167; pilulifera 49; polycarpa 115; polychroma 531; polygona 533; pulcherrima 531; Ridleyi 617; stellaespina 533; Teke 617
Euphorbia II. How should the cyathium be interpreted?, On the classification of 523
Euplotes 335
Euryale 579
Eutettix tenellus 237
Eutoca glandulosa 136
EWAN, JOSEPH, Annotations upon the California flora—I 509
Experiments on latent infection of resistant varieties by the loose and covered smut of oats 433
Eysendardtia orthocarpa 608

Fabraea maculata 241
Facelis retusa 418
Factors affecting the method of branching in Ailanthus altissima 229
Fasciation and its relation to problems of growth I. Shape changes in the shoot 383; II. Changes from the fasciated to normal state, with a discussion on the nature of the shoot 445
Ferocactus 612
Ferraria undulata 164
Feterita 568
Feterita hybrids, Inheritance of resistance to the loose and covered kernel smuts of sorghum II. 245
Ficus australis 108; **guajavoides** 547; petiolaris 608; Tonduzii 547
Fissidens 492
Flora—I, Annotations upon the Californian 509
Flue-cured tobacco: a comparative study of structural responses induced by topping and suckering 117
Fomes fomentarius 240; igniarius 51; roseus 495; subroseus 495
Fouquieria Macdougalii 612
Fragaria chiloensis 582; virginiana 578
Franseria 611, 613; cordifolia 611
Fraxinus 234; excelsior 474
Fuchsia hybrida 579
Fucus 243
Fuligo septica 307; varians 334
Fundamental nature of the flower, The 569
Further data on monosporous cultures of Gelasinospora tetrasperma 583

Fusarium 107, 541, 568, 617; lateritium fructigenum 172; lycopersici 616; niveum 47

Gaillardia 336
Galilea mucronata 421
Gardenia 558
Garrya 519; flavescens 519, 520; flavescens **pallida** 519, 520; Fremontii 520; pallida 519, 520
Gelasinospora 584, 585; tetrasperma 583–587
Gelasinospora tetrasperma, Further data on monosporous cultures of 583
Geniosporum elongatum 593; tenuiflorum 593
Geum 574; vernum 578
Gibberella fujikuroi subglutinans 114
Gilia 521; congesta 561; densifolia austromontana 520; plurifolia 520; virgata floribunda 520
Ginkgo 570
Gloeocapsa gigas 600
Gloniella Curtisii 57, 67, 68
Gloniopsis 57, 69
Glonium 57, 58, 63, 65, 69, 70, 342; **abbreviatum** 57, 60, 61, 64, 68; accumulatum 60, 61; clavisporum 57–63, 69, 70, 72; **Curtisii** 57–60, 63, 66, 67, 69, 72; **Finkii** 57, 58, 60, 66; gigasporum 67, 68; graphicum 57, 58; lineare 57, 60, 61, 65, 66; macrosporium 67, 68, 72; parvulum 57, 64, 70; Ravenelii 62; simulans 57, 59, 60, 61, 63; simulans macrospora 62; stellatum 57, 59, 60, 64; varium 57; velatum 57, 59
Glonium as represented in the Southeast, Studies in the genus 57
Glyptostrobus 48
Gnaphalium 340
Gnetum 572
Gnomonia 106
Gonyostomum 562
Gossypium Armourianum 564
Gouldia 418
Graphium Ulmi 236
Grindelia Chiloënsis 497
GROSS, CATHERINE, The cytology of Vaucheria 1
GROSS, P. M. and FREDERICK WOLD, Fluecured tobacco: a comparative study of structural responses induced by topping and suckering 117
Guaiacum Coulteri 608, 610
Guazuma ulmifolia 610
Guepinia 109
Gumteolis 589
Gymnosporangium 53, 494

Habenaria bracteata 615
Haematoxylin brasiletto 610
Halicystis 165; ovalis 168
Halranthus 624
Hamamelis 578
HAMMOND, BAYARD L., Development of Podostemon ceratophyllum 17
Hapalosiphon 599
Hartmannia 306
Helenium 105
Helianthus 568, 579; angustifolius 173; mollis 488
Heliconia 402
Heliocereus 344
Helminthosporium sativum 338
Hepatica acutiloba 46
Hesperothamnus 357
Heuchera 624
Hexastylis 107
Hibiscus trionum 51
Hicoria fernourana 617
Hieracium venosum 102
Higinbothamia 190
Hippeastrum 624
Hippocratea celastroides 342
Hippomane 531
Histogenesis in the bamboo with special reference to the epidermis 421
Holacantha 608
Hordeum sativum 265; vulgare 169
Hormodendrum 562
Hornea 447; Lignieri 474
Huernia whitesloaneana 110
Hugelia 521; **densifolia austramontana** 520; **pluriflora** 520
Humea elegans 589
Hura 528, 531
Hybridization experiments with natural variants of Hypomyces Ipomoeae 499
Hydnangium 236
Hydrastis carolinensis 37
Hydrocotyle 170
Hydrodictyon reticulatum 493
Hygrophorus 479; discoideus 480; fragrans 478; psittacinus 478; pustulatus 478; recurvatus 479; variicolor 479
Hymenocallis 240, 579
Hymenocardia 528
Hymenolobium 49
Hymenophysa pubescens 563

Hypericum mutilum latisepalum 107; perforatum 337
Hypholoma 113; incertum 56; velutinum 480
Hypomyces Ipomoeae 339, 499, 500, 503, 505, 506, 562
Hypomyces Ipomoeae, Hybridization experiments with natural variants of 499
Hypoxis 579
Hypoxylon 562
Hyptis 49; Emoryi 611
Hyssopus zeylanicus tenellus pratensis 593
Hysterium 57, 70; abbreviatum 64; chlorinum 67, 68; Curtisii 66, 67, 72; Cyrillae 67, 68; flexuosum 67; Kalmiae 66; lineare 65, 66; medium 64, 65
Hysteroglonium Curtisii 67
Hysterographium 57, 69; flexuosum 69; kansense 69; vulvatum 69
Hysteropycnis globularis 65

Iberis 195
Ichthyomethia mollis 610
Index to American Botanical Literature 46, 104, 164, 234, 336, 410, 488, 558, 614
Ingenhouzia 566
Inheritance of resistance to the loose and covered kernel smuts of sorghum I. Dwarf Yellow Milo hybrids 209; II. Feterita hybrids 245
Ipomoea 407, 409, 609; arborescens 608, 610
Iresine Hartmannii 611
Iridophycus 55, 419
Iris 235, 413, 559, 579, cristata 579, 582
Isoetes 203, 344, 619; macrospora 202, 205

Jasminum 109
Jatropha 531, 533; canescens 44; cardiophylla 611; cinerea 608, 610; cordata 610; curcas 610
JOHNSON, DUNCAN S., A New England station for Laminaria faeroensis Børg; forma 103
Juglans 570, 578
Juniperus 570
Justicia mexicana 611

Kalanchoë Aliciae 167
Kalmiopsis Leachiana 623
Karwinskia 611; Humboldtiana 611
Kayea paniculata 184
KECK, DAVID D., Studies in Penstemon IV. The section Ericopsis 357
Kneiffia 287, 568; Alleni 295; angustifolia 293; arenicola 294; brevistipata 301; chrysantha 303; depauperata 303; floribunda 300; Fraseri 300; fruticosa differta 294; fruticosa humifusa 295; fruticosa pilosella 290; glauca 288, 300; latifolia 301; linearifolia 288; linearis 293; linearis Alleni 295; linifolia 288; longipedicellata 293; maculata 298, 304; Michauxii 303; perennis 302; pilosella 290; pratensis 290, 291; pumila 302; riparia 302; semiglandulosa 301; sessilis 291; Spachiana 289; subglobosa 295; suffruticosa 292; Sumstinei 290, 291; tetragona 297; tetragona hybrida 300; tetragona longistipata 298; velutina 299
Kneiffia (genus Oenothera) and miscellaneous new species of Oenothera, Studies in Onagraceae X. The subgenus 287
KRIBS, DAVID A., Salient lines of structural specialization in the wood parenchyma of dicotyledons 177
KRUKOFF, B. A. and A. C. SMITH, Notes on the botanical components of curare 401

LA RUE, CARL D., The part played by auxin in the formation of internal intumescences in the tunnels of leaf miners 97
Lactarius sanguifluus 480
Lactuca indica 622; virosa 579
Lagascea decipiens 611
Laminaria 103; faeroensis 103, 341; longicruris 103
Laminaria faeroensis Børg; forma, A New England station for 103
Lampara 112
Langloisia 521
Lantana involucrata 611
Laricifolii 358, 359, 380
Larrea tridentata 611
Lathyrus 153, 163
Lavatera assurgentiflora 55
Lavauxia 305
Leiboldia 165
Lemaireocereus Thurberi 612
Lemanea 19
Lemna 24
Lenzites saepiaria 53; thermophila 53; trabea 53
Lepidium 51
Lepidocarpon 344
Lepidonia 165
Lepidospartum squamatum 514
Lepiota glischra 480; pyreneae 483
Leucocoryne ixioides 55

Lewisia brachycalyx 172
Life history of a new species of Mesotaenium, The 75
Lilium 48, 235, 430, 580; Harrisii 558; longiflorum 52
Linanthus 521
Linarioides 358, 359, 372
Linum perenne 530
Liparis Loeselii 276, 615
LIPMAN, CHAS. B., Tolerance of liquid air temperatures by spore-free and very young cultures of fungi and bacteria growing on agar media 537
Lipocystis 39; **caesalpiniae** 39
Lippia 611; Berlandieri 611; Palmeri 611
Liquidambar 62, 63, 72
Liriodendron 64
Literature, Index to American Botanical 46, 104, 164, 234, 336, 410, 488, 558, 614
Lobelia 109, 418, 579
Lobivia formosa 491
LOHMAN, M. L., Studies in the genus Glonium as represented in the Southeast 57
Lonchocarpus 41, 53; megalanthus 608, 610; neuroscapha 110; nicou 40, 42
Lonicera 620
Lophiosphaera velata 59, 63, 70
Lowland vegetation of Sinaloa 605
LUNDELL, C. L., New plants from the Yucatan peninsula 547
Lupinus albus 236, 470, 494; Douglassii 386
Lycopersicum esculentum 168, 175
Lycopodium 570–572, 576; annotinum 572; lucidulum 569
Lycopus 168
Lyngbya Lagerheimii 604; major 599; ochracea 604
Lysiloma 611; divaricata 608, 610; microphylla 608
Lythrum 578

Macaranga henryi 111
Macrostachya 106
Macrozamia 572
Magnolia 64, 572, 578
Magnusia 488
MALME, G. O. A., Notes on North American Xyridaceae 45
Malpighia urens 530
Malus 410; sylvestris, 578, 582
Malva campestris 164
Mammillaria 612; gatesii 341; unihamata 489
Marasmius 486; chordalis 480; fuscopurpureus 481
MARCY, D. ELIZABETH, Inheritance of resistance to the loose and covered kernel smuts of sorghum I. Dwarf Yellow Milo hybrids 209; II. Feterita hybrids 245
Marsilea 239
Mascagnia macroptera 611
Massaria Platani 55
Medicago sativa 235, 616
Melampsora lini 55
Melanconis 175
Melilotus alba 52, 234
Melocalamus 109
Melothria 406
Meratia 578
MERRILL, E. D., Razumovia Sprengel versus Centranthera R. Brown 589
Mesotaenium 75, 76, 78; **aplanosporum** 75, 76, 79; chlamydosporum minor 75; mirificum 76, 78
Mesotaenium, The life history of a new species of 75
MEYER, SAMUEL LEWIS, Concerning the chromosome number of Trautvetteria carolinensis 37
Michelia 574
Microascus 169
Micrococcus pierantonii 546
Microcystis aeruginosa 599; pulverea 599; robusta 599
Microsporium 338
Milo hybrids, Inheritance of resistance to the loose and covered kernel smuts of sorghum I. Dwarf Yellow 209
Mimosa 611; ceratonia 39; laxiflora 611
Mitchella repens 97, 99–102
Mniopsis 30; Weddelliana 30
Monardella cinerea 518; hypoleuca saxicola 521; saxicola 521; viridis 521; viridis **saxicola** 521
Monilia memorabilis 62
Monimia 578
Morenia 337
Mortierella 539, 541
Morus 149, 151, 156, 159, 160; alba 106, 145–147, 149, 151, 155, 158–160, 162, 412, 497; scabra 152, 158
Morus alba, The origin and development of the foliage leaves and stipules of 145
Mourera fluviatilis 22, 32
Mucor 541

Mundulea 411
MUNZ, PHILIP A., Studies in Onagraceae X. The subgenus Kneiffia (genus Oenothera) and miscellaneous new species of Oenothera 287
Musa 402
Mycena 486; citrinomarginata 479; delectabilis 482; haematopoda marginata 482
Mycobacterium tuberculosis 540
Myginda 553; **Gentlei** 553; **puberula** 553; **riparia** 553
Myosurus 572
Myriophyllum 203; alterniflorum 207; spicatum 202, 205
Myrodocarpus simplicifolius 184
Myxomycete plasmodia, The structure and activities of 307
Myxophyceae from Canal Zone, Some 599

Najas 105, 203, 560; flexilis 202, 205, 206
Napoleona Miersii 164
Nature of the flower, The fundamental 569
Navarretia 521
Nelumbo lutea 578, 580
Nemopanthus 340; mucronata 98, 272
Neomammillaria Wrightii 167
Neurospora 49, 111, 499, 506, 567, 584, 586, 614; crassa 506, 583, 586; sitophila 499, 506, 586; tetrasperma 583, 585, 586
New England station for Laminaria faeroensis Børg; forma, A 103
New Jersey, a study in local distribution, The Ophioglossaceae of 269
New plants from the Yucatan peninsula 547
New species of Vaucheria, A 557
Nicotiana 102, 114, 150, 384, 472, 475, 563; Tabacum 117, 340
Nierembergia caerulea 497
Nitella 165, 343
North America (concluded), A revision of the Phacelia crenulata group for 133
North American Xyridaceae, Notes on 45
Nostoc muscorum 488
Notes on agarics from the western United States 477
Notes on North American Xyridaceae 45
Notes on the botanical components of curare 401
Notes on the cytology and distribution of the Dioscoreaceae 189
Nymphaea 527
Nymphozanthus microphyllus 202, 203, 205; variegatus 202, 203, 205, 206

Oedogonium Reinschii 174
Oenothera 306, 568, 579; ambigua 297; arenicola 294; biennis 98; canadensis 297, 298; chrysantha 302, 303; Drummondii 289; florida 292; franciscana 412; Fraseri 300; fruticosa 288, 291–293, 297, 301, 302; fruticosa ambigua 297; fruticosa angustifolia 293; fruticosa differta 294; fruticosa diversifolia 294; frutibosa Eamesii 292, 296; fruticosa Fraseri 300; fruticosa glauca 300; fruticosa hirsuta 290; fruticosa humifusa 292, 295, 266; fruticosa incana 297; fruticosa indica 297, 298; fruticosa linearifolia 293; fruticosa linearis 293; fruticosa lucida 304; fruticosa maculata 304; fruticosa phyllopus 297, 298; fruticosa pilosella 290; fruticosa sessilicarpa 304; fruticosa Spachiana 289; fruticosa **subglobosa** 292, 295; fruticosa vera 292–296; fruticosa vera angustifolia 292–295; glauca 300; gracilis 303; hybrida 293, 300; hybrida ambigua 297; incana 297; linearis 293; linearis Eamesii 296; linifolia 288, 289; linifolia **glandulosa** 289; linifolia **typica** 289; longipedicellata 294; macrosceles 305; **Muelleri** 304; multicaulis 306; perennis 288, 297, 302, 303; perennis rectipilis 302, 304; perennis **typica** 302, 303, 304; pilosella 288, 290–292, 295, 304; pollicata 579; pumila 302; pumila chrysantha 303; pumila minima 303; pumila rectipilis 304; pusilla 303; riparia 302; **Seifrizii** 306; serotina 298, 299; **sessilis** 288, 291, 292; Spachiana 288, 289; subglobosa 295; subglobosa arenicola 294; taraxacoides 305; tetragona 288, 293, 296–299, 301, 302; tetragona **brevistipata** 297, 301; tetragona **Fraseri** 288, 297, 300, 301, tegragona Fraseri **hybrida** 297, 300; tetragona Fraseri **latifolia** 297, 301; tetragona **longistipata** 297, 298; tetragona **riparia** 297, 302; tetragona **typica** 297–301, 304, tetragona **velutina** 297, 299; uncinata 289
Oenothera, Studies in Onagraceae X. The subgenus Kneiffia (genus Oenothera) and miscellaneous new species of 287
Omphalia 482, 483, 534; abiegna 481; bisphaerigera 482; delectabilis 477, 482; gracilis 483; luteicolor 482; marginella 482, 484; nitrosa 482; rugosodisca 482
On the classification of Euphorbia II. How should the cyathium be interpreted? 523
Onagra 287, 560

Onagraceae X. The subgenus Kneiffia (genus Oenothera) and miscellaneous new species of Oenothera, Studies in 287
Ophiobolus graminis 339
Ophioglossaceae of New Jersey, a study in local distribution, The 269
Ophioglossum 269; arenarium 281; vulgatum 271, 276, 281, 282
Opulaster 533
Opuntia 579, 612; curassavica 114; Engelmannii 243; fuliginosa 612; leptocaulis 115; pubescens 612; tomentosa 612
Oreonana vestita 518
Origin and development of the foliage leaves and stipules of Morus alba, The 145
Oscillatoria formosa 599; rubescens 604; sancta 599
Osmanthus americanus 184
Osmunda cinnamomea 569; ramosa 278; regalis 276; virginiana 280
Osmundopteris 271
Ostreion americanum 63
Oxalis 578

Pachycereus 609; pecten-arboriginum 610, 612; Pringlei 612
Palmella pallida 600
Palmogloea Macrococca 78
Panus stypticus 567
Paramecium 323, 335; caudatum 323, 334
Part played by auxin in the formation of internal intumescences in the tunnels of leaf miners, The 97
Parthenium Stramonium 611
Paspalum 490
Pastinaca 579
Pausandra 342
Pedilanthus 531; rubiginosus 612
Pelargonium 150, 153
Pellaea compacta 518; mucronata 518
Penicillium expansum 104; luteum 539, 541; oxalicum 169
Peniophora livida 56
Peniophyllum 288; linifolium 288
Penstemon 357, 620; abietinus 359, 371, 372; acaulis 359, 366; ambiguus 54, 358; caespitosus 359, 362, 363, 371; caespitosus **desertipicti** 359, 362, 363, 365; caespitosus perbrevis 363, 364, 366; caespitosus **suffruticosus** 359, 363, 365, 366, 368, 370; caespitosus **typicus** 363, 364, 367; **californicus** 373, 378, 379; coloradoensis 375, 376; coloradoensis Sileri 374; Crandallii 359, 360, 367, 368, 371; Crandallii **atratus** 359, 360, 367, 368, 370, 371; Crandallii **glabrescens** 367, 369, 372, 374; Crandallii **procumbens** 368, 369, 370; Crandallii **typicus** 365, 367–371; desertipicti 365; **discolor** 373, 379; dolius 358; exilifolius 381; exilifolius desertus 380; glabrescens 369, 372; incanus 361; laricifolius 358, 380; laricifolius **exilifolius** 358, 380, 381; laricifolius **typicus** 380, 381; linarioides 373, 376, 378, 379; linarioides californicus 378; linarioides coloradoensis 369, 373–375; linarioides **compactifolius** 373, 376, 379; linarioides **Maguirei** 373, 378; linarioides **Sileri** 372–376; linarioides **taosensis** 373, 374; linarioides **typicus** 373, 376, 378; linarioides **viridis** 372, 373, 375, 376; Moffatii 358, 360; procumbens 369; pumilus 358; pumilus incanus 361; pumilus Thompsoniae 361; retrorsus 358–360, 371; suffrutescens 365, 370; teucrioides 359, 360, 368; Thompsoniae 359, 361, 362; Thompsoniae **Jaegeri** 361, 362; Thompsoniae **typicus** 361, 362, 366; Thurberi 358; xylus 368
Penstemon IV. The section Ericopsis, Studies in 357
Peperomia maculosa 473
Pereskiopsis 612
Pericome 563
Periptera 559
Perla 19
Peronospora Pisi 166
Persea 67, 68
Petalonema alatum 602
Petalostemum occidentale 237
Petermannia 190
Petiveria alliacea 404, 405
Petunia 567
Phacelia alba 91; ambigua 142; Anelsoni 83, 85; arenicola 87, 88; arizonica 94; Bakeri 83, 95, 96, 134, 135, 137, 139; caerulea 85; coerulea 83–86, 88; conferta 133; congesta 82, 84, 96, 133; congesta dissecta 96; congesta rupestris 82, 96, 133; congesta **typica** 96, 133; corrugata 84, 134, 135, 138–140; Coulteri 83, 93; crenulata 84, 85, 88, 140–142; crenulata ambigua 82, 142; crenulata Bakeri 95; crenulata corrugata 138; crenulata funerea 82, 142, 143; crenulata typica 82; crenulata vulgaris 140, 142, 143; denticulata 82, 83, 86, 87, 137; deserta 136; foetida 90; formosula

84, 135; glandulosa 81, 82, 84, 87, 135–137; glandulosa australis 96; glandulosa euglandulosa 86; glandulosa euglandulosa australis 86; glandulosa euglandulosa deserta 136; glandulosa neomexicana 91; glandulosa splendens 134; integrifolia 83, 87, 88; integrifolia arenicola 87; integrifolia Palmeri 90; integrifolia robusta 87, 88; integrifolia **typica** 87, 88; intermedia 84, 140; invenusta 84, 85; minutiflora 84, 144; neomexicana 82, 83, 87, 90, 91, 93, 137; neomexicana alba 87, 91; neomexicana Coulteri 93; neomexicana Coulteri foliosissima 91; neomexicana euneomexicana 91; neomexicana euneomexicana pseudo-arizonica 92; neomexicana miophylla 86; neomexicana **pseudo-arizonica** 91, 92; orbicularis 84, 139; Palmeri 83, 89, 90, 135; Palmeri foetida 90; Palmeri **typica** 90; pedicellata 84, 137; Popei 81–84, 93, 94, Popei **arizonica** 94, Popei **similis** 94; Popei **typica** 94; rupestris 133; scariosa 84, 137; **serrata** 83, 88; similis 94; splendens 84, 134, 135, 139; **texana** 82, 84, 141; **utahensis** 82, 84, 135

Phacelia crenulata group for North America, A revision of the 81; (concluded) 133

Phakopsora **jatrophicola** 39, 43

Pharbitis nil 474, 475

Phaseolus 386, multiflorus 386, 387, 389, 391, 399, 400, 445, 446, 453, 470, 471, 474, 475; vulgaris 386

Phaulothamnus spinescens 611

Phialea 341

Phialophora 562

Philadelphus 579

Phlox 54; Drummondii 474

Phlyctochytrium 493

Phoebe **longicaudata** 548

Phoenix reclinata 559

Pholiota 486; aurea 483, 484

Phoma 617

Phomopsis 47

Phormidium papyraceum 604

Phyllanthus 529, 531, 536

Phyllocactus 174

Phyllostachys nigra 422, 426, 428, 429, 431, 432; pubescens 422, 427, 431

Phymatotrichum omnivorum 110, 662

Physalospora 113

Physarella mirabilis 333

Physarum 334; polycephalum 307, 334, 559

Phytomonas fascians 114; Stewarti 168; tumefaciens 621

Phytophthora parasitica 109

Picea 446; rubens 49

PIERCE, W. P., The effect of phosphorus on chromosome and nuclear volume in a violet species 345

Pilea 240

Pilocereus 337

Pilularia americana 109

Pinus monophylla 510; ponderosa 510, 521; silvestris 492; Strobus 173

Piper 404, 405, 407–409; cinereonervosum 408; obliquum 405; scalariforme 405; tumidicondyli 408

Pisum sativum 386, 568

Pithecolobium sonorae 608, 610

Plants from the Yucatan peninsula, New 547

Platanus 62

Plenodomus 65

Pleurage anserina 585

Pleuricospora 236

Pleurothallis 46, 104

Poa 241

Podaxis pistillaris 616

Podocarpus 48

Podostemon 19, 20, 24, 27; ceratophyllum 17–21, 23, 24, 28, 30, 32, 34–36, 238; subulatus 20

Podostemon ceratophyllum, Development of 17

Polycystis aeruginosa 599

Polygala 235

Polygonanthus 530

Polygonatum commutatum 580

Polyploidia 111

Polyporus betulinus 567; Schweinitzii 337; squamosus 414

Polysphondylium 432

Polystictus versicolor 497

Pontederia 203; cordata 202, 205

Ponthieva 46

Populus balsamifera 337; grandidentata 99, 101; tremuloides 99

Poranthera 535

PORTERFIELD, JR., WILLARD M., Histogenesis in the bamboo with special reference to the epidermis 421

Portulaca 579, oleracea 168

Posidonia oceanica 614

Potamogeton 19, 171, 202, amplifolius 202, 203, 205, 207; gramineus 205; gramineus graminifolius 202, 203; pusillus 202, 203, 205, 206;

Richardsonii 202, 203, 205–207; Robbinsii 202, 203, 205, 207; zosterifolius 202, 203, 205
Prenanthes crepidinea 50
Primula 164, 445; sinensis 164
Priva 171
Prosopis 559; glandulosa 608
Protium 407, 408
Protococcus turgidus 600
Prunulus delectabilis 482
Prunus 67, 243; virginiana 580
Psalliota campestris 55
Psathyra torpens leucophaea 483
Pseudotsuga 413; macrocarpa 521; taxifolia 521, 618
Pseudovalsa 175
Psidium Guajava 547
Psiloglonium Finkii 57
Psilophyton 447, 448, 474; princeps 474
Psilotum 570
Psychotria 418
Pteris aquilina 98
Puccinia 41; coronata Avenae 265; graminis 568; graminis Avenae 261, 265; graminis Tritici 266; Helianthi 165; **molokaiensis** 43
Purshia 589, 593; ciliata 589, 593
Pyrus 243, 578
Pythium 541, 543, 616, 617

Quantitative and ecological study of the larger plants of Sweeney Lake, Oneida County, Wisconsin, A 199
Quercus 62, 64, 67, 386, 536; agrifolia 512, 514; aquatica 67; borealis 98; chrysolepis 521; dumosa 511, 512, 514, 515; dumosa elegantula 511–513, 515, 516; Engelmanni 512, 515, 516; **grandidentata** 512, 514–516; Kelloggii 521; McDonaldii 514–516; Macdonaldi elegantula 511, 514; nigra 67, 72; oblongifolia 511; pedunculata 446; Richteri 236, rubra 446; rydbergiana 515; undulata 515

Radamaea prostrata 589
Raimannia 171, 305, 306
Rajania 190
Randia Thurberi 611
Ranunculus 203; abortivus 578; aquatilis 205; aquatilus capillaceus 202, 203
Raphanus sativus 496
Rathbunia alamosana 612
Ravenelia 39, 41; bakeriana 41; caesalpiniae 39; simplex 41
Raxumovia hispida 596
Razumovia 589, 595, 598; **Brunoniana** 590–592; **Chevalieri** 590, 591, **cochinchinensis** 592–594, 596, 597, cochinchinensis **hispida** 596; cochinchinensis **nepalensis** 595; **grandiflora** 590, 591; hispida 589; **Hookeri** 590, 591; indica 589, 590, 592; lepidota 597; **longiflora** 593; paniculata 589; **tonkinensis** 590, 598; tranquebarica 589, 590, 597
Razumovia Sprengel versus Centranthera R. Brown 589
Reticularia lycoperdon 335
Revision of the Phacelia crenulata group for North America, A 81; (concluded) 133
Rhabdocline pseudotsugae 494
Rhacoma 553; Gentlei 553; riparia 553; riparia puberula 553
Rhaphithamnus 622
Rheum hybridum 344
Rhinanthus foliis lanceolatis 593, indica 592, 593
Rhipidium 240
Rhipsalis 166, 172
Rhizobium 411; leguminosarum 566
Rhizoctonia 115, 539, 541, 542; Solani 46, 114
Rhizopus 542; elegans 170; nigricans 539, 541; oryzae 342
Rhododendron 563, 578; Vaseyi 105
Rhus 529, 532; diversiloba 514, glabra 532; typhina 277
Rhynchosporium 616
Rhynia 447; Gwynne-Vaughani 474; major 474
Ribes 49, 340; odoratum 579
Ricinus communis 386
Rosa 571, 578; damascena 413
Rosellinia 492, necatrix 619
Roupala adiantifolia 407, 408, veraguensis 43
Rozella 618
Rubus 67
Ruellia 343
Rumex 169, 417, 624
Rusts, Descriptions of tropical 39

Sabal 67, serrulata 68
Saccanthera 357
Sagittaria Edwardsiana 338, graminea 202, 203, 205; latifolia 203, 578
Salient lines of structural specialization in the wood parenchyma of dictyledons 177
Salix 512
Salmonella enteritidis 539
Salvia 622; apiana 514

Sapindus oregonianus 342
Sapium 534; lateriflorum 608, 610; longifolium 534
Sassafras 62
Sceptridium 270, 271
SCHAFFNER, JOHN H., The fundamental nature of the flower 569
Schizostachyum 52
Schizothrix Braunii 604; chalybea 603; Heufleri 604; thelephoroides 503; **violacea** 601, 603, 604
Scirpus 203; acutus 202, 205
Sclerolepis uniflora 582
Sclerospora graminicola 494
Sclerotinia 175, 339, fruticola 173
Sclerotium bataticola 619, Rolfsii 167, 170
Scopulariopsis 169
Scytonema alatum 602; coactile 602; Hofmannii 602; Hofmannii symplocoides 602; ocellatum 602; stuposum 602; varium 602
Sedum 488; paraguayense 616
Selaginella 571, 572, 576; tortipila 115
Senecio Douglasii 514
Septobasidia 107
Septonema multiplex 59, 70
Septoria acicola 114
Sequoia 621
Sequoioxylon 46
Setaria italica 494
Shortia galacifolia 54
Shreve, Forrest, Lowland vegetation of Sinaloa 605
Sida rhombifolia 624
Simmondsia californica 611
Simpsonia 490
Sinaloa, Lowland vegetation of 605
Sirodesmium 63
Sisyrinchium 579
Smilacina 277; racemosa 98
Smilax 67, 68, 580
SMITH, A. C. and B. A. KRUKOFF, Notes on the botanical components of curare 401
SMITH, ALEXANDER H., Notes on agarics from the western United States 477
SMITH, BEN W., Notes on the cytology and distribution of the Dioscoreaceae 189
Sobralia 104
Solanum tuberosum 243
Solidago 98, 414; asperula 238
Some Myxophyceae from the Canal Zone 599
Sorghum 566, 616
Sparganium americanum 560
Spathacanthus, 415
Sphacelotheca cruenta 212–216, 221, 224, 226–228, 245, 254–259, 263, 264, 266; Sorghi 212–216, 218, 220–225, 227, 245–249, 251, 254, 255, 257–259, 263, 264, 266
Sphaeralcea 115
Sphaerella lacustris 559
Sphaeronaema 65; byssoideum 60; parvulum 64, 65
Sphaerophysa Salsula 488
Sphagnum 562
Spiraea 112
Spiranthes sinensis 341
Spirogyra 322
Sporidesmium 62, 63, 69, 72; epicoccoides 62; stygium 57, 59, 61, 62, 70, 72
Sporodinia 6
Stachycarpus 48
Staurogyne 621
Stemonitis fusca 107, 333
Stenomeris 190
Stifftia chrysantha 173
Stillingia 534; sylvatica 530, 534
Strelitzia 579
Stropharia semigloboides 484
Structure and activities of myxomycete plasmodia, The 307
Strychnos 401, 402, 406, 407, 409; Castelnaei 402, 404, 406, 409; **hirtiflora** 556; Jobertiana 407, 409; panamensis hirtiflora 556; toxifera 402, 406
Studies in Onagraceae X. The subgenus Kneiffia (genus Oenothera) and miscellaneous new species of Oenothera 287
Studies in Penstemon IV. The section Ericopsis 357
Studies in the genus Glonium as represented in the Southeast 57
Svensonia 416
Symphoricarpos 620
Symploca dubia 604
Synthyris 413, 563
Syrrhopodon texanus 411

TAFT, CLARENCE E., A new species of Vaucheria 557; The life history of a new species of Mesotaenium 75
Talinum pulchellum 490
Tamus 190, 191; communis 191
Taphrina potentillae 343
Taraxacum 579
Taxus 156, 572
Telephium 488
Temperatures by spore-free and very young

culture of fungi and bacteria growing on agar media, Tolerance of liquid air 537
Tempskya 624
Tephrosia 53, 411; **belizensis** 550; submontana 551
Ternstroemia coovalis 184
Tetracoccus ilicifolius 236
THEISS, E. W. and P. A. DAVIES, Factors affecting the method of branching in Ailanthus altissima 229
Themistoclesia 173
Thuidium 276
Thurberia 566; thespesioides 102
Thyrostroma compactum 48
Tiarella 620
Tilia 48, 64, 152; americana 561; grandiflora 149, 152, 158
Tillandsia 608
Tilletia levis 50, 209, 267; Tritici 50, 209, 264, 265, 267, 444
Timonius 494
Tithymalus 531
Tmesipteris 447, 474
Tobacco: a comparative study of structural responses induced by topping and suckering, Flue-cured 117
Tolerance of liquid air temperatures by spore-free and very young cultures of fungi and bacteria growing on agar media 537
Torenia lepidota 597
Torreya antiqua 47
Tracyina 559
Tradescantia 578, 623, 624; reflexa 240; virginica 493
Tragopogon 579
Trametes ameriana 53
Trautvetteria 38; applanata 37, carolinensis 37, 38, 240; palmata 37
Trautvetteria carolinensis, Concerning the chromosome number of 37
Treleasia 623
Trichia fallax 335
Trichilia **erythrocarpa** 551
Trichoderma 175, 539, 541
Trichophyton interdigitale 171
Trichopus 190
Tridentaria 617
Trillium 413; erectum 240; nivale 53
Triticum 164; vulgare 266
Tsuga 413
Turnera diffusa 611
Typha 203, 204; latifolia 202, 205
Ulmus 64, 110, 578; americana 98; pumila 48
United States, Notes on agarics from the western 477
Urandra cornixulata 186
Uredo jatrophicola 43; margine incrassata 41; **roupalae** 43
Urginea maritima 616
Urocystis cepulae 618
Uromyces 41; caesalpiniae 39; trifolii 52
Ustilago Avenae 209, 267, 433–435, 437–439, 441, 443, 444; crameri 175; Hordei 210, 265; levis 209, 265, 433–444; nigra 113; Tritici 210; Zeae 210, 266, 433
Utricularia 52, 109

Vaccinium 579; pennsylvanicum 567
Vahlkampfia 330
Valeriana 497; Bornmülleri 497; Glaziovii 497
Vallesia glabra 611
Vallisneria 202, 203, 579; americana 205
Valonia, 565
Vaucheria 1, 5, 9, 10, 238; arrhyncha 1; aversa 1; clavata 1; dichotoma 1, **discoidea** 557; Eveisa 1; fluitans 1; geminata 1–3, 6, 9, 10, 14; geminata racemosa 1; pachyderma 1; repens 1; sessilis 1–7, 9, 12; terrestris 1; uncinata 1
Vaucheria, A new species of 557
Vaucheria, The cytology of 1
Velezia rigida 47
Venidium calendulaceum 491
Venturia inaequalis 566
Vernonia 112
Veronica longifolia 446
Viburnum 240; acerifolium 277; rufidulum 561
Vicia faba 386
Victoria cruziana 167
Viguiera 611
Viola 578; conspersa 345, 346, 353; odorata 558; tricolor 558
Vitis 62, 63, 67, 68, 72
VOSS, JOHN W., A revision of the Phacelia crenulata group for North America 81; (concluded) 133

Walchia 167
Washingtonia 234
Welwitschia 571, 572
Wielandia 527, 528
WILSON, L. R., A quantitative and ecological study of the larger plants of Sweeney Lake, Oneida County, Wisconsin 199

Wisconsin, A quantitative and ecological study of the larger plants of Sweeney Lake, Oneida County 199
WOLD, FREDERICK A. and P. M. GROSS, Flue-cured tobacco: a comparative study of structural responses induced by topping and suckering 117

Xyridaceae, Notes on North American 45
Xyris 45, **Baldwiniana tenuifolia** 45; Congdoni 45; **conocephala pallescens** 45; Elliottii **stenotera** 45; pallescens 45; **Smalliana Congdoni** 45; tenuifolia 45; torta **occidentalis** 45; torta pallescens 45

Yucatan peninsula, New plants from the 547
Yucca, 354, 578, 608; aloifolia 353; louisianensis 353

Zanthoxylum arborescens 551; melanosticum 551; **nigripunctatum** 551
Zea Mays 167, 234, 424, 497
Zephyranthes Pyrolirion 624
Zizia aurea 47
Zizyphus 609; sonorensis 608, 610
Zygnema 77, 78
Zygosaccharomyces Pini 168